

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

LIBRARY
RECEIVED

★ APR 27 1951 ★

U. S. Department of Agriculture

Wholesale
PRICE LIST
1951

VISSEY'S NURSERIES

MERRICK ROAD
Springfield Gardens

Long Island, N. Y.

TELEPHONE: LAURELTON 8-1119

Nurseries also at
HIGBIE LANE
BABYLON, L. I.
and
BURN ROAD
COMMACK, L. I.



Prices in this list are for delivery to
our Nurseries, subject to change
without notice.

STOCK especially selected and
be priced according to value.

MEMBER OF --
LONG ISLAND, NEW YORK STATE AND AMERICAN
ASSOCIATION OF NURSEYMEN

This Catalogue cancels all previous quotations.

PRICES in this list are net, F. O. B. our Nurseries, subject to change without notice.

STOCK especially selected will be priced according to value.

TERMS, Cash.

TRUCKING and PACKING is additional at cost.

GUARANTEE:

As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

BALLING and BURLAPPING

B & B, ball and burlap—is free of charge with all evergreens and also with deciduous stock where specified "B & B". A charge will be made for digging deciduous stock with ball and burlap where not specified "B & B", as per the following schedule:—

| Shrubs | | Trees | |
|-----------------|------|-------------|-------|
| | | Diam. Ball | |
| 2 to 3 ft. | .40 | 15 in. | 2.00 |
| 3 to 4 ft. | .50 | 18 in. | 3.50 |
| 4 to 5 ft. | .70 | 24 in. | 6.00 |
| 5 to 6 ft. | 1.00 | 30 in. | 9.00 |
| 6 to 8 ft. | 1.75 | 36 in. | 15.00 |
| | | 42 in. | 22.00 |

PLATFORMS:—The cost of the platforms is in addition to above prices, but will be rebated if returned to the Nursery.

| | |
|--|------------------------|
| ABELIA grandiflora | Glossy Abelia |
| 1½-2 ft. | 1.00 |
| 1½-2 ft. potgrown | 1.30 |
| ABIES douglasi (see PSEUDOTSUGA) | |
| veitchi | Veitch Fir |
| 3-4 ft. | 3.50 |
| 4-5 ft. | 5.00 |
| 5-6 ft. | 7.00 |
| ACER palmatum atropurpureum | |
| | Red Japanese Maple |
| 1½-2 ft. (grafted) B & B ... each | 3.50 |
| 3-4 ft. (grafted) B & B ... each | 8.00 |
| 4-5 ft. (grafted) B & B ... each | 13.00 |
| platanoides | Norway Maple |
| 1½-1¾ in. cal. | 5.00 |
| 1¾-2 in. cal. | 6.50 |
| 2-2¼ in. cal. | 8.00 |
| 2¼-2½ in. cal. | 10.00 |
| —ascendens | Pyramidal Norway Maple |
| 2-2¼ in. cal. 10-12 ft. | 8.00 |
| —schwedleri | Schwedler's Maple |
| 1½-1¾ in. cal. | 5.00 |
| rubrum | Red Maple |
| 1½-1¾ in. cal. | 5.00 |
| AESCULUS pavia rubra | Red Buckeye |
| 3-4 ft. | 2.50 |
| 4-5 ft. | 4.00 |
| 5-6 ft. | 5.00 |
| ALBIZZIA julibrissin rosea | Hardy Pink Mimosa |
| 6-7 ft whips | 1.50 |
| AMELANCHIER canadensis | Downy Shadblow |
| 4-5 ft. | 2.50 |
| 5-6 ft. | 3.50 |
| 6-8 ft. | 5.00 |
| 8-10 ft. | 7.00 |
| AMPELOPSIS heterophylla | |
| | Porcelain Ampelopsis |
| Potgrown | .60 |
| tricuspidata (veitchi) | Boston Ivy |
| 2 Year | .35 |
| Potgrown | .45 |
| APPLES | 1.50-6.00 |
| GRAVENSTEIN, JONATHAN, MCINTOSH, WINESAP, QUINTUPLET. | |
| ARONIA arbutifolia | Red Chokeberry |
| 2½-3 ft. | .50 |
| 3-4 ft. | .70 |
| 4-5 ft. | 1.00 |
| 5-6 ft. | 1.40 |
| melanocarpa | Black Chokeberry |
| 2-3 ft. | .50 |
| AZALEA amoena—purple red | |
| 15-18 in. | 3.00 |
| 18-24 in. | 4.00 |
| 2-2½ ft. | 6.00 |

AZALEA calendulacea—yellow to orange

Flame Azalea

| | |
|---------------|------|
| 1½-2 ft. | 2.25 |
| 2-2½ ft. | 2.75 |
| 2½-3 ft. | 3.25 |
| 3-3½ ft. | 5.00 |

flame—orange red

| | |
|----------------|------|
| 15-18 in. | 2.75 |
| 1½-2 ft. | 3.50 |

hinodegiri—red

| | |
|-----------------------|------|
| 12-15 in. spread | 2.00 |
| 15-18 in. spread | 3.00 |
| 18-21 in. spread | 4.00 |

KAEMPFERI HYBRIDS

—carmen—delicate rose

| | |
|----------------|------|
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.50 |
| 2½-3 ft. | 6.00 |

—fedora—deep rose

| | |
|----------------|------|
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.50 |
| 2½-3 ft. | 6.00 |

—mikado—red

| | |
|----------------|------|
| 15-18 in. | 3.00 |
| 1½-2 ft. | 4.00 |

—othello—old brick red

| | |
|----------------|------|
| 12-15 in. | 1.80 |
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.50 |
| 2½-3 ft. | 6.00 |

ledifolia alba (Indica alba)—white

| | |
|----------------|------|
| 15-18 in. | 3.00 |
| 1½-2 ft. | 5.00 |

maxwelli—carmine red

| | |
|----------------------|-------|
| 1½-2 ft. spread | 4.00 |
| 2-2½ ft. spread | 5.00 |
| 2½-3 ft. spread | 7.00 |
| 3-3½ ft. spread | 10.00 |

—alba—white

| | |
|----------------|------|
| 15-18 in. | 3.00 |
| 1½-2 ft. | 4.50 |
| 2-2½ ft. | 6.00 |

mollis—yellow, salmon orange

Chinese Azalea

| | |
|----------------|------|
| 12-15 in. | 3.00 |
| 15-18 in. | 4.00 |

mucronulatum

| | |
|----------------|------|
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.00 |

AZALEA nudiflorum—deep pink

Pinxterbloom Azalea

| | |
|---------------|------|
| 2-2½ ft. | 2.75 |
| 2½-3 ft. | 3.25 |
| 3-3½ ft. | 4.50 |

poukhanensis—lilac

Korean Azalea

| | |
|----------------|------|
| 12-15 in. | 2.00 |
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.50 |
| 2-2½ ft. | 5.00 |
| 2½-3 ft. | 7.00 |
| 3-3½ ft. | 9.00 |

schlippenbachi—pure bright pink

Royal Azalea

| | |
|----------------|------|
| 12-15 in. | 2.50 |
|----------------|------|

snow—pure white, double

| | |
|----------------|------|
| 12-15 in. | 2.50 |
| 15-18 in. | 3.50 |
| 1½-2 ft. | 5.00 |

vaseyi—delicate pink

Pinkshell Azalea

| | |
|---------------|------|
| 2-2½ ft. | 3.00 |
| 2½-3 ft. | 3.50 |

vuykiana palestrina—white

| | |
|---------------|------|
| 1½-2 ft. | 4.00 |
|---------------|------|

white lady—white

| | |
|---------------|------|
| 1½-2 ft. | 4.00 |
|---------------|------|

BERBERIS juliana

Wintergreen Barberry

| | |
|----------------|------|
| 12-15 in. | 1.25 |
| 15-18 in. | 2.00 |

koreana

Korean Barberry

| | |
|--------------|-----|
| 2-3 ft. | .60 |
|--------------|-----|

thunbergi

Japanese Barberry

| | |
|---------------|-----|
| 1½-2 ft. | .25 |
| 2-3 ft. | .40 |

—atropurpurea

Red-Leaf Japanese Barberry

| | |
|---------------|-----|
| 1½-2 ft. | .40 |
| 2-2½ ft. | .50 |
| 2½-3 ft. | .60 |

verruculosa

Warty Barberry

| | |
|-----------------------|------|
| 12-15 in. B & B | 1.25 |
|-----------------------|------|

BETULA alba

European White Birch

| | |
|-----------------------|------------|
| 6- 7 ft. B & B | 4.00 |
| 7- 8 ft. B & B | 5.00-7.00 |
| 8-10 ft. B & B | 6.00-8.00 |
| 10-12 ft. B & B | 8.00-12.00 |

—two and three stemmed trees priced on selection.

—laciniata

Cutleaf Weeping Birch

| | |
|----------------------|-----------|
| 7- 8 ft. B & B | 4.00 |
| 8-10 ft. B & B | 5.00-7.00 |

—pendula youngi

Young's Weeping Birch

| | |
|----------------------|------|
| 6- 7 ft. B & B | 4.00 |
| 7- 8 ft. B & B | 5.00 |

populifolia

Gray Birch

| | |
|-----------------------|------------|
| 8-10 ft. B & B | 6.00-8.00 |
| 10-12 ft. B & B | 8.00-12.00 |

| | | |
|---|-------|-------------|
| BLUEBERRY hybrid varieties | | |
| 2-2½ ft. | | 1.50 |
| 3-4 ft. | | 3.00 |
| BUDDLEIA PINK CHARMING <i>Butterfly Bush</i> | | |
| Potgrown | | .70 |
| BUXUS japonica <i>Japanese Boxwood</i> | | |
| 12-15 in. | | .75 |
| 15-18 in. | | 1.25 |
| microphylla <i>Korean Boxwood</i> | | |
| 18-24 in. spread | | 2.00 |
| sempervirens <i>Common Boxwood</i> | | |
| BUSHES | | |
| 10-12 in. bare roots | | .40 |
| 12-15 in. bare roots | | .50 |
| 18-24 in. | | 2.00 |
| 33-36 in. sheared | | 4.00 |
| 33-36 in. sheared, heavy | | 5.00 |
| 36-39 in. sheared | | 5.00 |
| 36-39 in. sheared, heavy | | 7.00 |
| 39-42 in. sheared | | 9.00 |
| 39-42 in. sheared, heavy | | 10.00 |
| 42 in. sheared, heavy | | 12.00 |
| —columnaris | | |
| 10-12 in. light grade, bare roots | | .40 |
| 12-15 in. light grade, bare roots | | .50 |
| 15-18 in. light grade, bare roots | | .75 |
| 4 ft. sheared | | 12.00 |
| —handsworthi aurea <i>Golden Handsworth Boxwood</i> | | |
| 15-18 in. | | 1.20 |
| 1½-2 ft. | | 2.00 |
| —welleri | | |
| 6-8 in. bare roots | | .25 |
| 8-10 in. bare roots | | .30 |
| 10-12 in. bare roots | | .40 |
| 12-15 in. bare roots | | .50 |
| suffruticosa <i>True Dwarf Boxwood</i> | | |
| 4-5 in. bare roots | | .18 |
| 5-6 in. bare roots | | .30 |
| 6-8 in. bare roots | | .45 |
| 8-10 in. bare roots | | .75 |
| 10-12 in. | | 1.00 |
| 12-15 in. heavy | | 1.50-2.00 |
| 15-18 in. very heavy | | 2.50-3.50 |
| 18-21 in. very heavy | | 4.00-5.00 |
| 21-24 in. very heavy | | 6.00-7.50 |
| 24-27 in. very heavy | | 8.00-10.00 |
| 27-30 in. very heavy | | 10.00-15.00 |
| 30-33 in. very heavy | | 15.00-18.00 |
| 33-36 in. very heavy | | 18.00-21.00 |
| CEDRUS deodara <i>Deodar Cedar</i> | | |
| 15-18 in. | | 2.00 |

CHAMAECYPARIS (RETINOSPORA)

| | |
|---------------------------|-------------------------|
| obtusa gracilis | Hinoki Cypress |
| 2½-3 ft. | 3.00 |
| —nana | Dwarf Hinoki Cypress |
| 6- 8 in. | 1.50 |
| 8-10 in. | 2.00 |
| 10-12 in. | 2.50 |
| 12-15 in. | 3.50 |
| pisifera aurea | Golden Sawara Cypress |
| 5-6 ft. | 7.00 |
| 6-7 ft. | 8.00-10.00 |
| 7-8 ft. | 10.00-12.00 |
| 8-9 ft. | 12.00-15.00 |
| —plumosa | Plume Cypress |
| 4½-5 ft. | 5.50 |
| 5-6 ft. | 7.50 |
| — —aurea | Golden Plume Cypress |
| 2-2½ ft. | 2.75 |
| 2½-3 ft. | 3.00 |
| 3-3½ ft. | 3.50 |
| 3½-4 ft. | 4.00 |
| 4-4½ ft. | 4.50 |
| 4½-5 ft. | 5.50 |
| 5-6 ft. | 7.00 |
| 6-7 ft. | 8.00-10.00 |
| 7-8 ft. | 10.00-12.00 |
| squarrosa veitchi | Veitch Moss Cypress |
| 6-7 ft. | 8.00-10.00 |
| 7-8 ft. | 10.00-12.00 |
| CHERRIES | 2.00-5.00 |
| WINDSOR, BLACK TARTARIAN. | |
| CLEMATIS paniculata | Sweet Autumn Clematis |
| Potgrown | .40 |
| CLETHRA alnifolia | Summer Sweet |
| 4-5 ft. | 1.00 |
| CORNUS amomum | Silky Dogwood |
| 4-5 ft. | .90 |
| florida | White Flowering Dogwood |
| 4- 5 ft. B & B | 4.00 |
| 10-12 ft. B & B | 9.00-12.00 |
| 12-14 ft. B & B | 12.00-16.00 |
| 14-16 ft. B & B | 12.00-18.00 |
| —rubra | Red Flowering Dogwood |
| 3- 4 ft. B & B | 4.00 |
| 4- 5 ft. B & B | 6.00 |
| kousa | Kousa Dogwood |
| 4- 5 ft. B & B | 3.00 |
| 5- 6 ft. B & B | 4.00 |
| mas | Cornelian Cherry |
| 4- 5 ft. B & B | 2.00 |
| 5- 6 ft. B & B | 3.00 |
| 6- 7 ft. B & B | 4.00-6.00 |
| 7- 8 ft. B & B | 6.00-8.00 |
| 8-10 ft. B & B | 8.00-10.00 |

COTONEASTER adpressa praecox

Probably the most graceful of spreading
Cotoneasters, in the fall heavily loaded
with large bright red berries.

| | |
|--------------------------|------|
| 12-15 in. potgrown | 1.50 |
| 15-18 in. potgrown | 2.00 |

| | |
|-------------------------|-----------------------------|
| franchetti | <i>Franchet Cotoneaster</i> |
| 2½-3 ft. potgrown | 2.00 |

| | |
|-------------------------|-------------------------------|
| salicifolia | <i>Willowleaf Cotoneaster</i> |
| 1½-2 ft. potgrown | 1.50 |
| 2-3 ft. potgrown | 2.25 |

CRATAEGUS cordata *Washington Thorn*

| | |
|----------------------|------|
| 7-8 ft. B & B | 6.00 |
| 8-10 ft. B & B | 8.00 |

| | |
|--------------------------|--------------------------------|
| oxyacantha Pauli | <i>Paul's Scarlet Hawthorn</i> |
| 5-6 ft. bare roots | 3.00 |
| 6-7 ft. B & B | 4.00 |
| 7-8 ft. B & B | 5.00-7.00 |

CYDONIA japonica (chaenomeles lagenaria)

| | |
|--------------|--------------------------------|
| 2-3 ft. | <i>Flowering Quince</i> .80 |
|--------------|--------------------------------|

| | |
|--------------|------|
| —rubra | |
| 2-3 ft. | 1.00 |

| | |
|------------------|------------------------|
| DEUTZIA gracilis | <i>Slender Deutzia</i> |
| 12-15 in. | .50 |

| | |
|--------------|-----|
| lemoine | |
| 2-3 ft. | .60 |

| | |
|--------------|--|
| scabra | <i>Pride of Rochester</i> <i>Large Flowered Deutzia</i> |
| 3-4 ft. | .60 |
| 4-5 ft. | .80 |

ENKIANTHUS campanulatus

| | |
|----------------------|-----------------------------------|
| 2½-3 ft. B & B | <i>Redvein Enkianthus</i> 2.50 |
| 3-4 ft. B & B | 3.50 |


EUONYMUS radicans variegatus

| | |
|----------------|---|
| 15-18 in. | <i>Variegated Leaf Wintercreeper</i> .50 |
|----------------|---|

| | |
|-----------------------|-------------------------------|
| —vegetus | <i>Big Leaf Wintercreeper</i> |
| 10-12 in. | .40 |
| 15-18 in. bushy | .60 |
| 1½-2 ft. bushy | .75 |

| | |
|---------------|-------------------------|
| yedoensis | <i>Chinese Euonymus</i> |
| 2½-3 ft. | .60 |
| 3-4 ft. | .75 |

| | |
|----------------------------------|------------------------|
| FAGUS americana | American Beech |
| 6- 8 ft. B & B | 7.00 |
| 8-10 ft. B & B | 9.00 |
| sylvatica | European Beech |
| 6- 8 ft. B & B low branched | 5.00-7.00 |
| 8-10 ft. B & B low branched | 7.00-9.00 |
| 10-12 ft. B & B low branched.... | 9.00-12.00 |
| SHEARED SPECIMEN | |
| 10-12 ft. B & B | 25.00 |
| 12-14 ft. B & B | 30.00 |
| 14-16 ft. B & B | 40.00 |
| 16-18 ft. B & B | 50.00 |
| FORSYTHIA intermedia spectabilis | Showy Border Forsythia |
| 4-5 ft. | .70 |
| 5-6 ft. | 1.00 |
| 6-7 ft. | 1.50 |
| suspensa | Weeping Forsythia |
| 4-5 ft. | .60 |
| GINKGO biloba | Maidenhair Tree |
| 1½ in. cal. | 4.00 |
| 1¾ in. cal. | 5.00 |
| 2 in. cal. | 7.00 |
| GLEDITSIA triacanthos | Common Honeylocust |
| 8-10 ft., 1½ in. cal. | 4.50 |
| 10-12 ft., 1¾ in. cal. | 7.00 |
| —inermis | Thornless Honeylocust |
| 6-8 ft. whips | 2.50 |
| GRAPES | |
| Potgrown, 4-5 ft. | 1.25 |
| CONCORD—blue | GOLDEN MUSKAT |
| NIAGARA—white | RUBIS—red |
| HEDERA helix | English Ivy |
| 2 years, 3 in. pots | .25 |
| 2 years, 4 in. pots | .40 |



FRANKLINIA (GORDONIA)

GORDONIA alatamaha. A beautiful American tree closely associated with our American history. It has been named in honor of Benjamin Franklin, but the botanists know it as *Gordonia*.

It grows to the size of a very large shrub or into a small tree of about 16 feet. It blooms in August, September and well into October. The large white flowers are very fragrant.

| | |
|---------------------|------|
| 3-4 ft. B & B | 3.00 |
| 5-6 ft. B & B | 7.00 |
| 6-8 ft. B & B | 8.00 |

HIBISCUS syriacus

Rose of Sharon

—single, large flowering, dazzling soft pastel colors of blue, rose pink, white and white with red eye.

| | |
|--------------|-----|
| 3-4 ft. | .50 |
| 4-5 ft. | .60 |
| 5-6 ft. | .80 |

HYDRANGEA opuloides (otaksa)

Potgrown 2.00

paniculata grandiflora *P. G. Hydrangea*

3-4 ft.80

— — TREEFORM

4-5 ft., 2-3½ ft. stem 2.00-2.50

HYPERICUM moserianum

Gold-Flower

15-18 in., potgrown70

ILEX crenata

Japanese Holly

1½-2 ft. 2.50

2-2½ ft. 3.00

2½-3 ft. 4.00

—convexa (bullata)

Boxleaf Japan Holly

12-15 in. 1.60

15-18 in. 2.00

1½-2 ft. 3.00

—helleri

Mushroom Holly

Evergreen holly, grows slow and compact into a mushroom shape. The width is from two to three times its height. It requires no shearing.

10-12 in. spread 1.00

12-15 in. spread 1.50

15-18 in. spread 2.25

18-21 in. spread 3.00

21-24 in. spread 4.00

24-27 in. spread 5.00

27-30 in. spread 6.00

30-33 in. spread 8.00

—latifolia

Large Leaf Japanese Holly

BUSHFORM

12-15 in. 1.30

15-18 in. 1.80

1½-2 ft. 2.50

2-2½ ft. 3.00

glabra

Inkberry

1½-2 ft. 2.50

2-2½ ft. 3.00

2½-3 ft. 4.00

opaca

AMERICAN HOLLY

Many marked male and female plants on hand.

Especially selected berried plants will be priced according to selection.

2½-3 ft. 2.50

3-4 ft. 4.00

4-5 ft. 5.00

5-6 ft. 6.50

6-7 ft. 7.50-10.00

7-8 ft. 10.00-14.00

8-10 ft. 12.00-18.00

10-12 ft. 18.00-30.00

12-14 ft. 35.00-55.00

14-18 ft. 60.00-80.00

pernyi

Perny Holly

2-3 ft. 4.00

| | |
|--------------------------------|--------------------------|
| JASMINUM nudiflorum | Winter Jasmine |
| 1½-2 ft. potgrown | .70 |
| JUNIPERUS chinensis columnaris | Column Chinese Juniper |
| 4-4½ ft. | 6.00 |
| 8- 9 ft. | 13.00 |
| 9-10 ft. | 15.00 |
| 10-12 ft. | 18.00 |
| —pfitzeriana | Pfitzer Juniper |
| 1½-2 ft. spread | 3.50 |
| —sargentii | Sargent Juniper |
| 1½-2 ft. spread | 3.50 |
| excelsa stricta | Spiny Greek Juniper |
| 12-15 in. | 1.40 |
| 15-18 in. | 1.80 |
| 1½-2 ft. | 2.50 |
| 2-2½ ft. | 2.75 |
| 2½-3 ft. | 3.50 |
| 3-3½ ft. | 4.00 |
| 3½-4 ft. | 4.50 |
| 4-4½ ft. | 5.00 |
| 4½-5 ft. | 7.00 |
| 5-5½ ft. | 9.00 |
| 5½-6 ft. | 11.00 |
| 6-7 ft. | 14.00 |
| 7-8 ft. | 17.00 |
| 8-9 ft. | 22.00 |
| horizontalis Bar Harbor | Bar Harbor Juniper |
| 9-12 in. | 1.20 |
| 12-15 in. | 1.50 |
| —plumosa | Plumed Spreading Juniper |
| 15-18 in. | 2.00 |
| squamata meyeri | Meyer Juniper |
| 2-2½ ft. | 2.75 |
| 2½-3 ft. | 3.75 |
| KALMIA latifolia | Mountain Laurel |
| 15-18 in. | 2.00 |
| 1½-2 ft. | 2.50 |
| 2-2½ ft. | 3.50 |
| KERRIA japonica pleniflora | Double Flowering Kerria |
| 2-3 ft. | 1.00 |
| KOELREUTERIA paniculata | Varnish Tree |
| 4-5 ft. | 1.50 |
| KOLKWITZIA amabilis | Beauty Bush |
| 3-3½ ft. | 1.00 |
| LABURNUM vossi | Goldenchain |
| 6-7 ft. | 3.00 |
| LEUCOTHOE catesbaei | Drooping Leucothoe |
| 12-15 in. | 1.25 |
| 15-18 in. | 2.00 |
| racemosa (ANDROMEDA rac.) | Sweetbells |
| 2½-3 ft. B & B | 2.00 |
| 3-4 ft. B & B | 2.50 |

| | |
|----------------------------|---------------------|
| LIGUSTRUM ibota regelianum | <i>Regal Privet</i> |
| 15-18 in. | .40 |
| 2-2½ ft. | .60 |
| 2½-3 ft. | .80 |

| | |
|--------------------------------------|--------------------------|
| ovalifolium | <i>California Privet</i> |
| 1½-2 ft. 2 year | .10 |
| 2-3 ft. 2 year | .12 |
| 3-4 ft. 2 year | .17 |
| 4-5 ft. 3 year | .50 |
| 4-5 ft. very heavy, bare roots | 1.00 |
| 5-6 ft. very heavy, bare roots | 1.50 |

BUSHFORM

Very heavy, dense, well shaped plants to use as specimens.

| | |
|----------------------|------|
| 2½-3 ft. B & B | 1.50 |
| 3-4 ft. B & B | 2.00 |
| 4-5 ft. B & B | 2.50 |
| 5-6 ft. B & B | 3.50 |

PYRAMIDS

| | |
|--------------------|------|
| 2½ ft. B & B | 1.50 |
| 3 ft. B & B | 2.00 |
| 3½ ft. B & B | 2.50 |
| 4 ft. B & B | 3.00 |
| 5 ft. B & B | 3.50 |

| | |
|-------------------------|---------------------------|
| LONICERA fragrantissima | <i>Winter Honeysuckle</i> |
| 3-4 ft. | .60 |

heckrotti—rose purple and yellow

| | |
|---------------------------------|-----|
| <i>Everblooming Honeysuckle</i> | |
| 5 in pots | .70 |

japonica halliana—white and yellow

| | |
|----------------------------------|-----|
| <i>Hall Japanese Honeysuckle</i> | |
| 4 in. pots | .30 |
| 5 in. pots, strong | .50 |

sempervirens—scarlet

| | |
|--------------------|---------------------|
| mpervirens—scarlet | Trumpet Honeysuckle |
| 5 in. pots | .70 |

tatarica rosea

| | |
|--------------|----------------------------|
| tarica rosea | Pink Tartarian Honeysuckle |
| 4-5 ft. | 1.00 |

| | |
|----------------------|------------------------|
| MAGNOLIA soulangeana | <i>Saucer Magnolia</i> |
| 2-2½ ft. B & B | 2.50 |
| 2½-3 ft. B & B | 3.50 |
| 3-4 ft. B & B | 5.00 |
| 4-5 ft. B & B | 6.00 |

—alba superba

| | |
|----------------------|------|
| 2-2½ ft. B & B | 2.50 |
|----------------------|------|

—lennei

| | |
|----------------------|------|
| 2-2½ ft. B & B | 2.50 |
| 3-4 ft. B & B | 5.00 |

MALUS

Flowering Crab Apples

floribunda—rosy white flowers, yellow fruit

4-5 ft. 2.50

5-6 ft. heavy 3.00-5.00

6-8 ft. heavy 5.00-7.00

hupehensis—fragrant, pink flowers, yellow fruit

3-4 ft. bushy 2.00

ioensis plena

Bechtel Crab

Double pale pink flowers

4-5 ft. 2.50

5-6 ft. heavy 3.50-5.00

micromalus—deep pink flowers, yellow fruit

3-4 ft. bushy 2.00

~ niedzwetskyana—dark pink flowers

reddish fruit

3-4 ft. bushy 2.00

4-5 ft. bushy 2.50

parkmani—double pink flowers, yellow fruit

3-4 ft. 2.00

sargentii—white flowers, dark red fruit

3-4 ft. 2.50

~ scheideckeri—double rose flowers, yellow fruit

3-4 ft. bushy 2.00

MYRICA carolinensis

Northern Bayberry

2-2½ ft. B & B 2.00

NYSSA sylvatica

Tupelo or Sour Gum

8-10 ft. B & B 10.00

10-12 ft. B & B 12.00

PACHYSANDRA terminalis

Japanese Spurge

2¼ in. pots10

PAEONIA

Peony

Assorted, bare50

PEACHES

1.00-2.00

~ PEARS

1.50

PHILADELPHUS coronarius

Mock Orange

2½-3 ft.60

grandiflorus

Large Flowering Mock Orange

3-4 ft.70

4-5 ft. 1.00

virginalis (Everblooming)

Virginal Mock Orange

2½-3 ft.60

3-4 ft.80

| | |
|---------------|----------------------|
| PICEA excelsa | Norway Spruce |
| 4-5 ft. | 4.00 |
| 5-6 ft. | 5.50 |
| pungens | Colorado Spruce |
| 2-2½ ft. | 2.25 |
| 2½-3 ft. | 2.75 |
| 3-3½ ft. | 3.50 |
| 3½-4 ft. | 4.50 |
| —glauca | Colorado Blue Spruce |
| 2-2½ ft. | 5.50 |
| 2½-3 ft. | 7.50 |
| 3-3½ ft. | 9.00 |
| 3½-4 ft. | 11.00 |
| —kosteri | Koster's Blue Spruce |
| 3-3½ ft. | 13.00 |
| 3½-4 ft. | 15.00 |
| 4-5 ft. | 17.00 |
| 5-6 ft. | 21.00 |
| 6-7 ft. | 27.00 |
| 7-8 ft. | 37.00 |

| | |
|------------------------|--------------------|
| PIERIS floribunda | Mountain Andromeda |
| 15-18 in. spread | 3.00 |
| japonica | Japanese Andromeda |
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.50 |
| 2-2½ ft. | 5.00 |
| 2½-3 ft. | 6.50 |
| mariana | Staggerbush |
| 1½-2 ft. B & B | 1.20 |
| 2-2½ ft. B & B | 1.50 |

| | |
|-------------------------|---------------------|
| PINUS parviflora glauca | Japanese Blue Pine |
| 7-8 ft. | 15.00 |
| strobis | White Pine |
| 3-4 ft. | 3.50 |
| 4-5 ft. | 5.00 |
| thunbergi | Japanese Black Pine |
| 4-5 ft. | each 8.00 |
| 5-6 ft. | each 10.00 |
| 6-7 ft. | each 13.00 |
| 7-8 ft. | each 18.00 |
| 8-10 ft. | each 22.00 |

PLUMS 1.50

| | |
|-------------------|---------------------|
| POLYGONUM auberti | Chinese Fleece Vine |
| 5 in. pots | .50 |

| | |
|--------------------|-----------------|
| POPULUS alba nivea | Silver Poplar |
| 4-5 ft. | 1.25 |
| 5-6 ft. | 1.50 |
| 6-8 ft. | 2.00 |
| 8-10 ft. | 3.00 |
| nigra italica | Lombardy Poplar |
| 10-12 ft. | 2.00 |

PRUNUS besseyi *Sand Cherry*

1½-2 ft. B & B 1.00

cerasifera blireiana—double pink

Purple-Leaf Plum

5-6 ft. 2.00

6-7 ft. 3.00

glandulosa rosea fl. pl.

(AMYGDALUS nana)

Double Pink-flowering Almond

15-18 in.70

2-2½ ft. 1.00

persica rubra *Double Red Flowering Peach*

5-6 ft. 1.50

serrulata *Oriental Cherry*

JAPANESE CHERRIES, double flowering

AMANOGAWA—semi double, pink.

KWANSAN—double pink.

MOUNT FUJI—double white.

SHIROFUGEN—double blush pink.

yedoensis YOSHINO—single blush pink.

5-6 ft. 3.00

—pendula flore plena

Double Flg. Weeping Cherry

6-7 ft., 2 year head 3.00-4.00

subhirtella pendula *Weeping Cherry*

6 ft., 2 year head 3.00-4.00

triloba plena *Double Pink-Flowering Plum*

3-3½ ft. 2.00

| | |
|----------------------|-------------|
| PSEUDOTSUGA douglasi | Douglas Fir |
| 2½-3 ft. | 2.50 |
| 3-4 ft. | 3.50 |

| | |
|-----------------------------|-----------|
| PYRACANTHA coccinea lalandi | Firethorn |
| 2-2½ ft. potgrown | 2.50 |

RETINOSPORA (see CHAMAECYPARIS)

| | |
|------------------------------------|-----------------------|
| RHODODENDRON carolinianum | Carolina Rhododendron |
| (Nursery Grown) <u>well budded</u> | |

| | |
|----------------|------|
| 15-18 in. | 3.00 |
| 1½-2 ft. | 4.00 |

| | |
|------------------------------------|----------------------|
| catawbiense | Catawba Rhododendron |
| (Nursery Grown) <u>well budded</u> | |

| | |
|----------------|------|
| 15-18 in. | 2.75 |
| 1½-2 ft. | 3.50 |
| 2-2½ ft. | 5.00 |
| 2½-3 ft. | 6.50 |
| 3-3½ ft. | 8.00 |

| | |
|-----------------|----------------------|
| maximum | Rosebay Rhododendron |
| (Nursery Grown) | |

| | |
|---------------|------|
| 2-2½ ft. | 3.00 |
| 2½-3 ft. | 4.00 |
| 3-3½ ft. | 5.00 |
| 3½-4 ft. | 6.00 |
| 4-5 ft. | 8.00 |

RHODODENDRON HYBRIDS, well budded

BOULE DE NEIGE—white, dwarf. 1½ ft. spread.

CARACTACUS—red, 1½ ft.

CATAWBIENSE ALBUM—white, 1½ ft., 2 ft.,
2½ ft., 3 ft.

CHARLES DICKENS—red, 1½ ft., 2 ft., 2½ ft.

Price 50% additional.

DR. H. C. DRESSELHUIS—aniline red.

1½ ft., 2 ft., 2½ ft., 3 ft., 4 ft.

EDWARD S. RAND—red, 1½ ft., 2 ft.

EVERESTIANUM—rosy lilac, 15 in., 1½ ft.

F. D. GODMAN—dark red, 1½ ft.

GIGANTEUM—light red, 1½ ft.

IGNATIUS SARGENT—light red, 15 in., 1½ ft., 2 ft.

MRS. C. S. SARGENT—rosy red, 1½ ft.

PROFESSOR F. BETTEX—fine red, 1½ ft.

ROSEUM ELEGANS—rose pink, 15 in., 2 ft.

| | |
|-------------|-------|
| 15 in. | 3.50 |
| 1½ ft. | 6.00 |
| 2 ft. | 8.00 |
| 2½ ft. | 12.00 |
| 3 ft. | 16.00 |
| 3½ ft. | 25.00 |
| 4 ft. | 35.00 |

ROSA hugonis Golden Rose of China

| | |
|----------------------------|-----|
| 1½-2 ft., 6 in. pots | .80 |
|----------------------------|-----|

rugosa Rugosa Rose

| | |
|----------------------------|-----|
| 1½-2 ft., 6 in. pots | .70 |
|----------------------------|-----|

ROSES

TEA, HYBRID TEA and EVERBLOOMING
or MONTHLY ROSES:

Potgrown after May 1.

Bare rooted65

Potgrown 1.00

AMI QUINARD—*velvety crimson-maroon*

BETTY UPRICHARD—*salmon pink*

CHARLOTTE ARMSTRONG—*cherry red*

PLANT PATENT No. 455

Retails 1.50 Bare roots 1.00

CRIMSON GLORY—*deep crimson*

PLANT PATENT No. 105

Retails 1.35 Bare roots 1.00

DUQUESA DE PENARANDA—*copper apricot*

ETOILE DE HOLLANDE—*dark red*

GOLDEN RAPTURE—*golden-yellow*

GRENOBLE—*scarlet crimson*

GRUSS AN TEPLITZ—*scarlet*

IMPROVED LAFAYETTE—*deep glowing red*

KAISERIN AUGUSTA VICTORIA—*white*

MARGARET MCGREDY—*brilliant red*

MCGREDY'S SCARLET—*deep rose red*

MCGREDY'S IVORY—*ivory white*

MCGREDY'S YELLOW—*canary yellow*

MISS ROWENA THOM—*satiny pink*

MME. JOSEPH PERRAUD—*nasturtium yellow*

MRS. E. P. THOM—*yellow*

MRS. PIERRE S. DU PONT—*golden yellow*

PEACE—*lemon yellow to rose pink*

Retails 2.00 Bare roots 1.50

PICTURE—*rose-pink*

PINK RADIANCE—*cameo pink*

PRES. HOOVER—*pink and coppery yellow*

RED RADIANCE—*rosy-red*

SISTER THERESE—*golden-yellow*

TALISMAN—*coppery-yellow*

CLIMBING ROSES and RAMBLERS

Bare rooted 1.00

Potgrown 1.50

Potgrown, extra heavy 2.00

BLAZE—*scarlet, everblooming*

DOCTOR VAN FLEET—*flesh pink*

MARY WALLACE—*large, bright pink*

MME. GREGOIRE STAECHELIN

(Spanish Beauty)—*pearl-pink*

NEW DAWN—*flesh pink*

Everblooming DR. VAN FLEET

PAUL'S SCARLET CLIMBER—*scarlet*

PRIMROSE—*yellow*

| | | | |
|-----------|------------|------------------------|--|
| SALIX | babylonica | Babylon Weeping Willow | |
| 7- 8 | ft. | 2.50 | |
| 8-10 | ft. | 3.50 | |
| vitellina | aurea | Golden Willow | |
| 6- 8 | ft. | 2.00 | |
| 8-10 | ft. | 3.50 | |
| 10-12 | ft. | 5.00 | |

| | | | |
|------------|----------|---------------------------|--|
| SARCOCOCCA | humilis | Small Himalaya Sarcococca | |
| 6-8 | in. | .75 | |

| | | | |
|-------------|--------------|---------------|--|
| SCIADOPITYS | verticillata | Umbrella Pine | |
| 2-2½ | ft. | each 6.00 | |

| | | | |
|--------|-----------|-----------------------|--|
| SORBUS | aucuparia | European Mountain Ash | |
| 6-8 | ft. | 2.00 | |

| | | | |
|---------|----------|-------------------------|--|
| SPIRAEA | bumalda | Anthony Waterer | |
| | | Red Everblooming Spirea | |
| 15-18 | in. | .50 | |

| | | | |
|------------|----------|---------------|--|
| prunifolia | plena | Bridal Wreath | |
| 3-3½ | ft. | .70 | |

| | | | |
|-----------|----------|-----------------------------|--|
| thunbergi | | Snowgarland-Thunberg Spirea | |
| 2½-3 | ft. | .60 | |
| 3-4 | ft. | .80 | |

| | | | |
|-------------|----------|---------------------------|--|
| van Houttei | | van Houttei Bridal Wreath | |
| 3-4 | ft. | .60 | |

| | | | |
|--------|----------------|-------------------|--|
| STYRAX | japonica | Japanese Snowbell | |
| 8-10 | ft. B & B | 6.00 | |

| | | | |
|----------------|-----------|-----------|--|
| SYMPHORICARPOS | racemosus | Snowberry | |
| 2-3 | ft. | .50 | |
| 3-4 | ft. | .70 | |

| | | | |
|---------|----------------------|---------------------|--|
| SYRINGA | vulgaris | Common Purple Lilac | |
| 3-4 | ft. light grade | .70 | |
| 3-4 | ft. heavy B & B | 3.00 | |
| 4-5 | ft. heavy B & B | 4.00 | |
| 5-6 | ft. heavy B & B | 5.00 | |
| 6-7 | ft. heavy B & B | 8.00 | |

vulgaris HYBRIDS

(On own roots or grafted on Lilac)

CHARLES X—single, purple-red, 3-4 ft.

ELLEN WILLMOTT—double, creamy white,
4-5 ft.

LUDWIG SPAETH—single, reddish-purple
3-4 ft.

MARIE LEGRAY—single, white, 3-4 ft.

MASSENA—single, deep purple-red, 4-5 ft.

MME. F. MOREL—single, deep pink-lilac, 4-5 ft.


| | | |
|----------------------|-------------------------|------|
| MME. FLORENT STEPMAN | —single, white, 3-4 ft. | |
| 3-4 | ft. heavy B & B | 3.00 |
| 4-5 | ft. heavy B & B | 4.00 |

| | |
|-------------------------------------|-------------------------------|
| TAXUS baccata | <i>English Yew</i> |
| 3½-4 ft. | 8.00 |
| 4-4½ ft. | 10.00 |
| 4½-5 ft. | 12.00 |
| —repandens | <i>Spreading English Yew</i> |
| 15-18 in. spread | 3.00 |
| 1½-2 ft. spread | 4.00 |
| 2-2½ ft. spread | 5.00 |
| cuspidata | <i>Spreading Japanese Yew</i> |
| 15-18 in. spread | 3.00 |
| 1½-2 ft. spread | 4.00 |
| 2-2½ ft. spread | 5.00 |
| 2½-3 ft. spread | 6.00 |
| 3-3½ ft. spread | 8.00 |
| 6-8 ft. spread | 30.00-40.00 |
| TAXUS CUSPIDATA CAPITATA | <i>Upright Japanese Yew</i> |
| 1½-2 ft. | 2.00 |
| 2-2½ ft. slender | 2.25 |
| 2-2½ ft. regular | 3.00 |
| 2½-3 ft. slender | 3.00 |
| 2½-3 ft. regular | 4.00 |
| 3-3½ ft. slender | 4.00 |
| 3-3½ ft. regular | 5.00 |
| 3½-4 ft. regular | 7.00 |
| 3½-4 ft. select heavy | 8.50 |
| 4-4½ ft. regular | 9.00 |
| 4-4½ ft. select heavy | 12.00 |
| 4½-5 ft. regular | 12.00 |
| 4½-5 ft. select heavy | 15.00 |
| 5-5½ ft. regular | 15.00 |
| 5-5½ ft. select heavy | 20.00 |
| 5½-6 ft. regular | 25.00 |
| 6-6½ ft. regular | 30.00 |
| 6½-7 ft. regular | 40.00 |
| 7-8 ft. extra fine specimen | 45.00 |
| 8-9 ft. extra fine specimen | 55.00 |
| 9-10 ft. extra fine specimen | 70.00 |
| 12-14 ft. extra fine specimen | 120.00 |
| 14-16 ft. extra fine specimen | 135.00 |
| 16-18 ft. extra fine specimen | 150.00 |
| 18-20 ft. extra fine specimen | 170.00 |

TAXUS cuspidata columnaris

Columnar Japanese Yew

| | |
|-------------------------------|-------|
| 2-2½ ft. very slender | 2.50 |
| 2½-3 ft. very slender | 3.00 |
| 3-3½ ft. very slender | 4.00 |
| 3½-4 ft. very slender | 5.00 |
| 4-4½ ft. slender | 6.00 |
| 4½-5 ft. slender | 8.00 |
| 5-5½ ft. slender | 10.00 |
| 5½-6 ft. slender | 12.00 |
| 6-7 ft. slender | 15.00 |
| 6-7 ft. well furnished | 30.00 |
| 7-8 ft. well furnished | 35.00 |
| 8-9 ft. well furnished | 45.00 |
| 9-10 ft. well furnished | 55.00 |



TAXUS CUSPIDATA CAPITATA

Upright Japanese Yew

Sheared Trees 12 and 13 ft.





TAXUS cuspidata columnaris

Sheared tree 12 ft. high, 2½ ft. at base.

COLUMNAR JAPANESE YEW

Columnar form of the Japanese Yew. With careful shearing a very slender, dense and very distinct looking tree can be produced with base only slightly wider than top, foliage is very dark, retaining its color all winter.

| | |
|--|---------------------------|
| TAXUS cuspidata hatfieldi | Hatfield Yew |
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.50 |
| 2½-3 ft. | 6.00 |
| —hicksi | Hicks Yew |
| 15-18 in. | 2.00 |
| 1½-2 ft. | 2.75 |
| 2-2½ ft. | 3.50 |
| 2½-3 ft. | 4.50 |
| 3-3½ ft. | 5.50 |
| 3½-4 ft. | 7.00 |
| —intermedia, spreading form | |
| 12-15 in. spread | 2.00 |
| 15-18 in. spread | 3.00 |
| 1½-2 ft. spread | 4.00 |
| 2-2½ ft. spread | 5.00 |
| —nana (brevifolia) | Dwarf Japanese Yew |
| 12-15 in. spread | 2.25 |
| 15-18 in. spread | 3.00 |
| 1½-2 ft. spread | 4.50 |
| —sieboldi | Siebold Yew |
| 15-18 in. spread | 3.00 |
| —thayeri | Thayers Yew |
| 15-18 in. spread | 3.00 |
| —visseri—compact, slow growing, heavy foliage, spreading type | |
| 12-15 in. spread | 2.25 |
| 15-18 in. spread | 3.00 |
| THUJA occidentalis | American Arborvitae |
| 6-7 ft. | 7.00 |
| —alba spicata | Queen Victoria Arborvitae |
| 4½-5 ft. | 4.50 |
| 5-6 ft. | 5.50 |
| —boothi | Booth Globe Arborvitae |
| 15-18 in. | 1.60 |
| —columbia | Columbia Arborvitae |
| 5-6 ft. | 5.50 |
| 6-7 ft. | 7.00 |
| —compacta | Parsons Dwarf Arborvitae |
| 1½-2 ft. | 2.25 |
| —nigra | Dark American Arborvitae |
| 4-4½ ft. | 4.00 |
| 4½-5 ft. | 4.50 |
| 5-6 ft. | 5.50 |
| 6-7 ft. | 7.00 |
| 7-8 ft. | 9.00 |
| —pyramidalis | Pyramidal Arborvitae |
| 4-4½ ft. | 4.00 |
| 4½-5 ft. | 4.50 |
| 5-6 ft. | 5.50 |
| 6-7 ft. | 7.00 |
| 7-8 ft. | 9.00 |
| 8-9 ft. | each 11.00 |
| —rosenthali | Rosenthal's Arborvitae |
| 3½-4 ft. | 3.50 |
| 4-4½ ft. | 4.50 |

| | | |
|-----------|--------------------------|------------------------------|
| THUJA | occidentalis spiralis | Spiral Arborvitae |
| 5-6 | ft. | 5.50 |
| | orientalis (BIOTA) | Oriental Arborvitae |
| 4-4½ | ft. | 4.00 |
| 4½-5 | ft. | 4.50 |
| 5-6 | ft. | 5.50 |
| 6-7 | ft. | 7.00 |
| 7-8 | ft. | 9.00 |
| | aurea nana | Berckman's Golden Arborvitae |
| 12-15 | in. | 1.50 |
| 24-27 | in. | 2.75 |
| 27-30 | in. | 3.25 |
| 2½ | ft. | 3.75 |
| 3 | ft. | 5.00 |
| 3½ | ft. | 7.00 |
| 4 | ft. | 9.00 |
| 4½ | ft. | 12.00 |
| | plicata (lobbi) | Giant Arborvitae |
| 10-12 | ft. | each 15.00 |
| TILIA | cordata | Littleleaf European Linden |
| 3 | in. cal., 12-14 ft. | each 13.00 |
| TSUGA | canadensis | Canadian Hemlock |
| 2-2½ | ft. | 2.50 |
| 2½-3 | ft. | 3.50 |
| 3-3½ | ft. | 4.50 |
| 3½-4 | ft. | 5.50 |
| 4-5 | ft. | 6.50 |
| 5-6 | ft. | 9.00 |
| 6-7 | ft. | 12.00 |
| —pendula | | Sargent Weeping Hemlock |
| 2-2½ | ft. | 6.00 |
| 2½-3 | ft. | 7.00 |
| 3-3½ | ft. | 9.00 |
| 5-6 | ft. spread | each 20.00 |
| VACCINIUM | corymbosum | Highbush Blueberry |
| 3-4 | ft. B & B | 3.00 |
| VIBURNUM | acerifolium | Mapleleaf Viburnum |
| 3-4 | ft. | 1.00 |
| | carlesi | Fragrant Viburnum |
| 1½-2 | ft. B & B | 2.00 |
| | dentatum | Arrowwood |
| 3-4 | ft. | .70 |
| | lantana | Wayfaring Tree |
| 2-3 | ft. | .50 |
| | lentago | Nannyberry |
| 4-5 | ft. | 1.00 |
| 5-6 | ft. heavy | 2.00 |
| 6-7 | ft. heavy | 3.00 |
| 7-8 | ft. heavy | 4.00 |
| | setigerum (theiferum) | Tea Viburnum |
| 2-3 | ft. B & B | 1.00 |
| 3-4 | ft. B & B | 1.50 |
| 4-5 | ft. B & B | 2.50 |
| 5-6 | ft. B & B | 3.50 |

| | |
|------------------------------------|--------------------------|
| VINCA minor | Periwinkle |
| 2¼ in. pots | .10 |
| WEIGELA Eva Rathke | |
| Red Everblooming Weigela | |
| 2½-3 ft. | .70 |
| florida rosea | Pink Weigela |
| 3-4 ft. | .70 |
| nana variegata | Dwarf Variegated Weigela |
| 2-3 ft. | .70 |
| vaniceki | Coral red Weigela |
| 3-4 ft. | .70 |
| WISTERIA sinensis | Chinese Wisteria |
| 4-6 ft. potgrown | 2.00-3.00 |
| TREEFORM | |
| 4-5 ft., 2-3 ft. stem, 10 in. pots | 3.00-5.00 |

TOPSOIL

| | |
|---------------|-----|
| Per bag | .90 |
|---------------|-----|

PEAT MOSS

| | |
|-------------------------|------|
| Domestic, per bag | 1.30 |
|-------------------------|------|

FERTILIZERS

| | |
|------------------------------------|------------------|
| Milorganite, 6% | 100 lb. bag 3.25 |
| Bone Meal, steamed | 100 lb. bag 4.25 |
| Superphosphate, 20% | 100 lb. bag 2.25 |
| 5-10-10 Commercial Fertilizer | 100 lb. bag 3.00 |

REED MATS

| | |
|--------------|-----------|
| 6x6 ft. | each 3.00 |
|--------------|-----------|

BERRY-BEARING TREES and SHRUBS

Red Berries

| | |
|---------------------------------|----------------------------|
| Aronia arbutifolia | Red Chokeberry |
| Berberis koreana | Korean Barberry |
| Berberis thunbergi | Japanese Barberry |
| Berberis thunbergi atropurpurea | Red-leaf Japanese Barberry |
| Cornus florida | White Flowering Dogwood |
| Cornus florida rubra | Red Flowering Dogwood |
| Cornus kousa | Kousa Dogwood |
| Cornus mas | Cornelian Cherry |
| Cotoneaster adpressa praecox | |
| Cotoneaster franchetti | |
| Cotoneaster salicifolia | Willowleaf Cotoneaster |
| Crataegus cordata | Washington Thorn |
| Ilex opaca | American Holly |

RED BERRIES (Con't)

| | |
|---------------------------------------|----------------------------------|
| <i>Lonicera fragrantissima</i> | <i>Winter Honeysuckle</i> |
| <i>Lonicera sempervirens</i> | <i>Trumpet Honeysuckle</i> |
| <i>Lonicera tatarica rosea</i> | <i>Pink Tatarian Honeysuckle</i> |
| <i>Malus</i> , assorted | <i>Flowering Crab Apple</i> |
| <i>Nyssa sylvatica</i> | <i>Tupelo or Sour Gum</i> |
| <i>Rosa hugonis</i> | <i>Golden Rose of China</i> |
| <i>Rosa rugosa</i> | <i>Rugosa Rose</i> |
| <i>Taxus</i> | <i>Yew</i> |
| <i>Viburnum setigerum</i> (theiferum) | <i>Tea Viburnum</i> |

White Berries

| | |
|-----------------------------------|--------------------------|
| <i>Myrica carolinensis</i> (gray) | <i>Northern Bayberry</i> |
| <i>Pachysandra terminalis</i> | <i>Japanese Spurge</i> |
| <i>Symphoricarpos racemosus</i> | <i>Snowberry</i> |

Yellow Berries

| | |
|-------------------------|-----------------------------|
| <i>Malus</i> , assorted | <i>Flowering Crab Apple</i> |
|-------------------------|-----------------------------|

Orange Berries

| | |
|------------------------------------|-------------------------------|
| <i>Euonymus rad. vegetus</i> | <i>Big Leaf Wintercreeper</i> |
| <i>Euonymus yedoensis</i> | <i>Chinese Euonymus</i> |
| <i>Pyracantha coccinea lalandi</i> | <i>Firethorn</i> |
| <i>Sorbus aucuparia</i> | <i>European Mountain Ash</i> |

Black Berries

| | |
|-----------------------------------|------------------------------|
| <i>Amelanchier canadensis</i> | <i>Downy Shadblow</i> |
| <i>Aronia melanocarpa</i> | <i>Black Chokeberry</i> |
| <i>Berberis verruculosa</i> | <i>Warty Barberry</i> |
| <i>Ilex crenata</i> | <i>Japanese Holly</i> |
| <i>Ilex crenata convexa</i> | <i>Boxleaf Japan Holly</i> |
| <i>Ilex crenata latifolia</i> | |
| <i>Ilex glabra</i> | <i>Inkberry</i> |
| <i>Ligustrum ovalifolium</i> | <i>California Privet</i> |
| <i>Lonicera japonica halliana</i> | <i>Hall Jap. Honeysuckle</i> |
| <i>Viburnum lantana</i> | <i>Wayfaring Tree</i> |

Blue and Blue-Black Berries

| | |
|-----------------------------------|-----------------------------|
| <i>Ampelopsis heterophylla</i> | <i>Porcelain Ampelopsis</i> |
| <i>Ampelopsis tricuspidata</i> | <i>Boston Ivy</i> |
| <i>Berberis juliana</i> | |
| <i>Cornus amomum</i> | <i>Silky Dogwood</i> |
| <i>Ligustrum ibota regelianum</i> | <i>Regel Privet</i> |
| <i>Vaccinium corymbosum</i> | <i>Highbush Blueberry</i> |
| <i>Viburnum acerifolium</i> | <i>Mapleleaf Viburnum</i> |
| <i>Viburnum dentatum</i> | <i>Arrowwood</i> |
| <i>Viburnum lentago</i> | <i>Nannyberry</i> |

FOR SEASHORE PLANTING

| | |
|----------------------------|-----------------------------|
| Amelanchier canadensis | <i>Downy Shadblow</i> |
| Aronia arbutifolia | <i>Red Chokeberry</i> |
| Aronia melanocarpa | <i>Black Chokeberry</i> |
| Berberis thunbergi | <i>Japanese Barberry</i> |
| Betula populifolia | <i>Gray Birch</i> |
| Clethra alnifolia | <i>Summer Sweet</i> |
| Hydrangea opuloides | |
| Ilex glabra | <i>Inkberry</i> |
| Ilex opaca | <i>American Holly</i> |
| Ligustrum ibota regelianum | <i>Regel Privet</i> |
| Ligustrum ovalifolium | <i>California Privet</i> |
| Myrica carolinensis | <i>Northern Bayberry</i> |
| Nyssa sylvatica | <i>Tupelo or Sour Gum</i> |
| Picea pungens | <i>Colorado Spruce</i> |
| Picea pungens Kosteri | <i>Koster's Blue Spruce</i> |
| Pieris mariana | <i>Staggerbush</i> |
| Pinus thunbergi | <i>Japanese Black Pine</i> |
| Populus nigra italica | <i>Lombardy Poplar</i> |
| Rosa rugosa | <i>Rugosa Rose</i> |
| Viburnum denatum | <i>Arrowwood</i> |
| Viburnum lentago | <i>Nannyberry</i> |

*STOCK especially selected will
be priced according to value.*

EVERGREEN CONIFERS

| | |
|------------------------------------|--------------------------------------|
| <i>Abies veitchi</i> | <i>P. pungens glauca</i> |
| <i>Cedrus deodara</i> | <i>P. pungens kosteri</i> |
| <i>Chamaecyparis obt. gracilis</i> | <i>Pinus parviflora glauca</i> |
| <i>C. obtusa nana</i> | <i>P. strobus</i> |
| <i>C. pisifera aurea</i> | <i>P. thunbergi</i> |
| <i>C. pis. plumosa</i> | <i>Pseudotsuga douglasi</i> |
| <i>C. pis. plum. aurea</i> | <i>Retinospora</i> |
| <i>C. squarrosa veitchi</i> | (see <i>Chamaecyparis</i>) |
| <i>Juniperus chin. columnaris</i> | <i>Sciadopitys verticillata</i> |
| <i>J. chin. pfitzeriana</i> | <i>Taxus baccata</i> |
| <i>J. chin. sargentii</i> | <i>T. bacc. repandens</i> |
| <i>J. excelsa stricta</i> | <i>T. cuspidata</i> in variety |
| <i>J. horizontalis Bar Harbor</i> | <i>Thuja occidentalis</i> in variety |
| <i>J. hor. plumosa</i> | <i>T. orientalis</i> in variety |
| <i>J. squamata meyeri</i> | <i>T. plicata (lobbi)</i> |
| <i>Picea excelsa</i> | <i>Tsuga canadensis</i> |
| <i>P. pungens</i> | <i>T. canadensis pendula</i> |

BROAD LEAVED EVERGREENS

| | |
|-----------------------------------|------------------------------------|
| <i>Abelia grandiflora</i> | <i>Cotoneaster franchetti</i> |
| <i>Azalea amoena</i> | <i>C. salicifolia</i> |
| <i>A. flame</i> | <i>Euonymus rad. variegatus</i> |
| <i>A. hinodegiri</i> | <i>E. rad. vegetus</i> |
| <i>A. kaempferi hybrids</i> | <i>Ilex crenata</i> |
| in variety | <i>I. cren. convexa (bullata)</i> |
| <i>A. ledifolia alba</i> | <i>I. cren. helleri</i> |
| <i>A. maxwelli</i> | <i>I. cren. latifolia</i> |
| <i>A. maxwelli alba</i> | <i>I. glabra</i> |
| <i>A. poukhanensis</i> | <i>I. opaca</i> |
| <i>A. snow</i> | <i>I. pernyi</i> |
| <i>A. vuykiana palestrina</i> | <i>Kalmia latifolia</i> |
| <i>A. white lady</i> | <i>Leucothoe catesbaei</i> |
| <i>Berberis juliana</i> | <i>Pachysandra terminalis</i> |
| <i>B. verruculosa</i> | <i>Pieris floribunda</i> |
| <i>Buxus japonica</i> | <i>P. japonica</i> |
| <i>B. microphylla</i> | <i>Pyracantha coccinea lalandi</i> |
| <i>B. sempervirens</i> | <i>Rhododendron carolinianum</i> |
| <i>B. semp. columnaris</i> | <i>R. catawbiense</i> |
| <i>B. semp. handsworthi aurea</i> | <i>R. maximum</i> |
| <i>B. semp. welleri</i> | <i>R. hybrids</i> in variety |
| <i>B. suffruticosa</i> | <i>Sarcococca humilis</i> |

DECIDUOUS TREES AND SHRUBS

| | |
|----------------------------------|--------------------------------------|
| <i>Acer palm. atropurpureum</i> | <i>B. thun. atropurpurea</i> |
| <i>A. platanoides</i> | <i>Betula alba</i> |
| <i>A. plat. ascendens</i> | <i>B. alba lacinata</i> |
| <i>A. plat. schwedleri</i> | <i>B. alba pendula youngi</i> |
| <i>A. rubrum</i> | <i>B. populifolia</i> |
| <i>Aesculus pavia rubra</i> | <i>Blueberries, hybrid varieties</i> |
| <i>Albizia julibrissin rosea</i> | <i>Buddleia Pink Charming</i> |
| <i>Amelanchier canadensis</i> | <i>Clethra alnifolia</i> |
| <i>Aronia arbutifolia</i> | <i>Cornus amomum</i> |
| <i>A. melanocarpa</i> | <i>C. florida</i> |
| <i>Azalea calendulacea</i> | <i>C. florida rubra</i> |
| <i>A. mollis</i> | <i>C. kousa</i> |
| <i>A. mucronulatum</i> | <i>C. mas</i> |
| <i>A. nudiflorum</i> | <i>Crataegus cordata</i> |
| <i>A. schlippenbachii</i> | <i>C. oxyacantha pauli</i> |
| <i>A. vaseyi</i> | <i>Cydonia japonica</i> |
| <i>Berberis koreana</i> | <i>C. jap. rubra</i> |
| <i>B. thunbergii</i> | <i>Deutzia gracilis</i> |

DECIDUOUS TREES AND SHRUBS (Cont.)

| | |
|--------------------------------|-----------------------------|
| Cotoneaster adpr. praecox | P. nigra italica |
| Deutzia lemoine | Prunus besseyi |
| Deutzia scabra | P. cerasifera blireiana |
| Pride of Rochester | P. glandulosa rosea fl. pl. |
| Enkianthus campanulatus | P. persica rubra |
| Euonymus yedoensis | P. serrulata in varieties |
| Fagus americana | P. subhirtella pendula |
| F. sylvatica | and fl. pl. |
| Forsythia int. spectabilis | P. triloba plena |
| F. suspensa | P. yedoensis Yoshino |
| Ginkgo biloba | Rosa hugonis |
| Gleditsia triacanthos | R. rugosa |
| G. triacanthos inermis | Roses in varieties |
| Gordonia alataamaha | Salix babylonica |
| Hibiscus syr. seedlings, sgle. | S. vitellina aurea |
| Hydrangea opuloides | Sorbus aucuparia |
| H. paniculata grandiflora | Spiraea bum. Anthony |
| Hypericum moserianum | Waterer |
| Kerria jap. pleniflora | S. prunifolia plena |
| Koelreuteria paniculata | S. thunbergi |
| Kolkwitzia amabilis | S. van Houttei |
| Laburnum vossi | Styrax japonica |
| Leucothoe racemosa | Symphoricarpos racemosus |
| Ligustrum ibota regelianum | Syringa vulgaris |
| L. ovalifolium | S. hybrids in variety |
| Lonicera fragrantissima | Tilia cordata |
| L. tatarica rosea | Vaccinium corymbosum |
| Magnolia soulangeana | Viburnum acerifolium |
| M. soul. alba superba | V. carlesi |
| M. soul. lennei | V. dentatum |
| Malus in variety | V. lantana |
| Myrica carolinensis | V. lentago |
| Nyssa sylvatica | V. setigerum (theiferum) |
| Philadelphus coronarius | Weigela Eva Rathke |
| P. grandiflorus | W. florida rosea |
| P. virginialis | W. nana variegata |
| Pieris mariana | W. vaniceki |
| Populus alba nivea | |

VINES

| | |
|-------------------------|----------------------|
| Ampelopsis heterophylla | L. japonica halliana |
| A. tricuspidata | L. sempervirens |
| Clematis paniculata | Polygonum auberti |
| Hedera helix | Vinca minor |
| Jasminum nudiflorum | Wisteria sinensis |
| Lonicera heckrotti | |

FRUIT TREES

| | |
|----------|---------|
| Apples | Peaches |
| Cherries | Pears |
| Grapes | Plums |

INDEX OF COMMON NAMES

| | | | |
|------------------------|---------|-------------------|--------|
| Abelia, glossy | 1 | Juniper | 10 |
| Almond | 14 | Kerria | 10 |
| Andromeda | 13 | Laurel | 10 |
| Apples | 1 | Leucothoe | 10 |
| Arborvitae | 21, 22 | Lilac | 17 |
| Arrow Wood | 22 | Linden | 22 |
| Azalea | 1, 2, 3 | Magnolia | 11 |
| Barberry | 3 | Maidenhair Tree | 7 |
| Bayberry | 12 | Maple | 1 |
| Beauty Bush | 10 | Maple, Japanese | 1 |
| Beech | 7 | Mimosa | 1 |
| Birch | 3 | Mountain Ash | 17 |
| Blueberry | 4, 22 | Mock Orange | 12 |
| Boxwood | 4 | Nannyberry | 22 |
| Bridal Wreath | 17 | Peaches | 12 |
| Buckeye | 1 | Peach, Flowering | 14 |
| Butterfly Bush | 4 | Pears | 12 |
| Cedar | 4 | Peony | 12 |
| Cherries | 5 | Periwinkle | 23 |
| Cherry, Flowering | 14 | Pine | 13 |
| Clematis | 5 | Plum, Flowering | 14 |
| Chokeberry | 1 | Poplar | 13 |
| Cornelian Cherry | 5 | Privet | 11 |
| Cotoneaster | 6 | Quince, Flowering | 6 |
| Crab Apples, Flowering | 12 | Rhododendron | 15 |
| Cypress | 5 | Rose of Sharon | 8 |
| Deutzia | 6 | Roses | 16 |
| Dogwood | 5 | Rugosa Rose | 15 |
| Enkianthus | 6 | Sand Cherry | 14 |
| Euonymus | 6 | Sarcococca | 17 |
| Fir | 1, 15 | Shadblow | 1 |
| Firethorn | 15 | Snowbell | 17 |
| Fleece Vine | 13 | Snowberry | 17 |
| Forsythia | 7 | Sour Gum | 12 |
| Franklinia | 8 | Spirea | 17 |
| Goldenchain | 10 | Spruce | 13 |
| Golden Rose of China | 15 | Spurge | 12 |
| Gold-Flower | 9 | Staggerbush | 13 |
| Gordonia | 8 | Summersweet | 5 |
| Grapes | 7 | Sweetbells | 10 |
| Hawthorn | 6 | Thorn | 6 |
| Hemlock | 22 | Tupelo | 12 |
| Holly | 9 | Umbrella Pine | 17 |
| Honeylocust | 7 | Varnish Tree | 10 |
| Honeysuckle | 11 | Viburnum | 22 |
| Hydrangea | 9 | Wayfaring Tree | 22 |
| Inkberry | 9 | Weigela | 23 |
| Ivy, Boston | 1 | Willow | 17 |
| Ivy, English | 7 | Wintercreeper | 6 |
| Jasmine | 10 | Wisteria | 23 |
| | | Yew | 18, 21 |

MEMO

MEMO

MEMO

